
Printed by EAST

UserID: ARodriguez

Computer: WS11348

Date: 06/25/2001

Time: 15:46

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	1667	semiconductor adj laser adj diode	USPAT	2001/06/25 11:19			0
2	BRS	L3	23	1 and mode adj lock\$ and modulat\$ and passive\$	USPAT; EPO; JPO; Derwent	2001/06/25 11:31		Truncation Overflow. Return string from Server is: 5'144595'	1
3	BRS	L8	1	3 and self adj modulat\$	USPAT; EPO; JPO; Derwent	2001/06/25 12:59			0
4	BRS	L13	361641	passive\$ adj self adj modulat\$ and semiconductor adj laser diode	USPAT; EPO; JPO; Derwent	2001/06/25 12:45			0
5	BRS	L18	0	passive\$ adj self adj modulat\$ and semiconductor adj laser adj diode	USPAT	2001/06/25 12:47			0
6	BRS	L20	0	passive\$ adj self adj modulat\$ and semiconductor adj laser adj diode	EPO; JPO; Derwent	2001/06/25 12:48			0
7	BRS	L24	0	passive\$ adj mode adj lock\$ and self adj modulat\$ and semiconductor adj laser adj diode	EPO; JPO; Derwent	2001/06/25 12:49		Truncation Overflow. Return string from Server is: 5'0'0'PAS	1
8	BRS	L28	0	passive\$ adj mode adj lock\$ and self adj modulat\$ and semiconductor adj laser adj diode	USPAT	2001/06/25 12:52		Truncation Overflow. Return string from Server is: 5'0'0'PAS	1

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
9	BRS	L30	10	passive\$ adj mode adj lock\$ and modulat\$ and semiconductor adj laser adj diode	USPAT	2001/06/25 12:54		Truncation Overflow. Return string from Server is: 5'0'0`PAS	1
10	BRS	L32	1	3 and self adj modulat\$ and wavelength	USPAT; EPO; JPO; Derwent	2001/06/25 13:05			0
11	BRS	L37	1	3 and self adj modulat\$ and wavelength and mode and phase	USPAT; EPO; JPO; Derwent	2001/06/25 13:13			0
12	BRS	L42	0	37 and pulse and train	USPAT; EPO; JPO; Derwent	2001/06/25 13:15			0
13	BRS	L47	1	37 and pulse and short	USPAT; EPO; JPO; Derwent	2001/06/25 13:23			0
14	BRS	L52	0	laser adj diode and aspheric adj lens and mirrors and output adj coupler and mode adj lock\$ and modulat\$	USPAT	2001/06/25 13:27		Truncation Overflow. Return string from Server is: 5'167923`	1
15	BRS	L54	11	laser adj diode and aspheric adj lens and mirrors and output adj coupler	USPAT	2001/06/25 13:31			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
16	BRS	L56	2	54 and mode adj lock\$	USPAT; EPO; JPO; Derwen t	2001/06/25 13:29		Truncation Overflow. Return string from Server is: 5\144595\	1
17	BRS	L61	3	semiconductor adj laser adj diode and aspheric adj lens and mirrors and output adj coupler	USPAT	2001/06/25 13:34			0
18	BRS	L63	2	mode adj lock\$ and modulats and misalign\$ and semiconductor adj laser adj diode	USPAT; EPO; JPO; Derwen t	2001/06/25 14:14		Truncation Overflow. Return string from Server is: 5\144595\	1
19	IS&R	L68	418	("372/18").CCLS.	USPAT	2001/06/25 14:15			0
20	IS&R	L70	478	("372/18").CCLS.	USPAT; EPO; JPO; Derwen t	2001/06/25 14:15			0
21	IS&R	L75	711	("372/26").CCLS.	USPAT; EPO; JPO; Derwen t	2001/06/25 14:16			0
22	BRS	L80	56	70 and 75	USPAT; EPO; JPO; Derwen t	2001/06/25 14:16			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
23	BRS	L85	21	80 and passive\$	USPAT; EPO; JPO; Derwent	2001/06/25 14:17			0
24	BRS	L90	2	85 and semiconductor adj laser adj diode	USPAT; EPO; JPO; Derwent	2001/06/25 14:31			0
25	BRS	L95	35	semiconductor adj laser adj diode and chromatic adj aberration	USPAT; EPO; JPO; Derwent	2001/06/25 14:33			0
26	BRS	L100	1	95 and mode adj lock\$	USPAT; EPO; JPO; Derwent	2001/06/25 14:36		Truncation Overflow. Return string from Server is: 5'144595'	1
27	BRS	L105	2	misalign\$ and mode adj lock\$ and passive\$ and pulse and semiconductor adj laser adj diode	USPAT; EPO; JPO; Derwent	2001/06/25 14:39		Truncation Overflow. Return string from Server is: 5'0'0'MIS	1
28	BRS	L110	153	70 and passive\$	USPAT; EPO; JPO; Derwent	2001/06/25 14:44			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
29	BRS	L125	0	115 and 120	USPAT; EPO; JPO; Derwent	2001/06/25 14:47			0
30	BRS	L115	2	75 and self adj modulat\$	USPAT; EPO; JPO; Derwent	2001/06/25 14:47			0
31	BRS	L120	93	70 and passive\$ adj mode adj lock\$	USPAT; EPO; JPO; Derwent	2001/06/25 14:49		Truncation Overflow. Return string from Server is: 5'0'0'PAS	1
32	BRS	L130	6	120 and semiconductor adj laser adj diode	USPAT; EPO; JPO; Derwent	2001/06/25 15:04			0
33	BRS	L135	20	120 and index near refraction	USPAT; EPO; JPO; Derwent	2001/06/25 15:05			0